ELSEVIER

Talanta 45 (1998) 1293–1301

Talanta

Volume Contents

Volume 45 (1998)

No. 1 **12 December 1997**

New approach to study of spilled crude oils using high resolution GC–MS (SIM) and metastable reaction monitoring GC–MS–MS
D. Munoz (Marseille, Harfleur, France), P. Doumenq, M. Guiliano, F. Jacquot (Marseille, France), P. Scherrer (Harfleur, France) and G. Mille (Marseille, France) 1
Highly sensitive colour-reaction of nickel with a new chromogenic reagent benzothiaxolyldiazoaminoazobenzene and its application
S. Zhao, X. Xia, X. Kong and T. Liu (Liaoning, China) 13
Determination of ammonia in ethylene using ion mobility spectrometry
J.H. Cross, T.F. Limero (Houston, TX, USA), J.L. Lane (Deer Park, TX, USA) and F. Wang (Houston, TX, USA) 19
Micellar versus reversed phase liquid chromatography for the determination of desferrioxamine and its chelates with aluminium and iron in uremic serum
P. Menéndez-Fraga, E. Blanco-González, A. Sanz-Medel and J.B. Cannata-Andía (Oviedo, Spain) . . 25
Spectrochemical and thermal analysis of Al-tetrabromophthalate and tetrabromophthalic anhydride. A comparison of methods for determination of aluminium
L. Paama (Tartu, Estonia), H. Rönkkömäki and P. Perämäki (Oulu, Finland). 35
Cetylpyridinium chloride micelles as a selective fluorescence quenching solvent media for discriminating between alternant versus nonalternant polycyclic aromatic hydrocarbons
S. Pandey, W.E. Acree, Jr. (Denton, TX, USA) and J.C. Fetzer (California, CA, USA) 39
Rapid determination of dissolved organic phosphorus in soil leachates and runoff waters by flow injection analysis with on-line photo-oxidation
D.M.W. Peat (Plymouth, UK), I.D. McKelvie (Victoria, Australia), G.P. Matthews (Plymouth, UK), P.M. Haygarth (Devon, UK) and P.J. Worsfold (Plymouth, UK) 47
Quantitative calibration of vapor levels of TNT, RDX, and PETN using a diffusion generator with gravimetry and ion mobility spectrometry
G.A. Eiceman, D. Preston, G. Tiano, J. Rodriguez (Las Cruces, NM, USA) and J.E. Parmeter (Albuquerque, NM, USA) 57
Determination of urinary trace elements (As, Hg, Zn, Pb, Se) in patients with Blackfoot disease
C.-J. Horng and S.-R. Lin (Kaohsiung, Taiwan) 75
Analysis for sulfur as hydrogen sulfide incorporating zirconia pretreatment and preconcentration
J. Wall, B. Chiswell, B. Hamilton, C. Dieckmann (St. Lucia, Australia) and K. O'Halloran (New South Wales, Australia) 85
Characterization of an enzyme linked immunosorbent assay for Aflatoxin B_1 based on commercial reagents
M. Pesavento (Milano, Italy), S. Domagala (Lodz, Poland), E. Baldini and L. Cucca (Pavia, Italy) . 91
Simultaneous spectrofluorimetric determination of 1-naphthylacetic acid and 1-naphthalenacetamide in commercial formulations and soil samples
J.L. Vilchez, R. Blanc and A. Navalón (Granada, Spain) 105
Highly sensitive automatic analysis of polycyclic aromatic hydrocarbons in indoor and outdoor air
L. Zhu (Hangzhou, China), Y. Takahashi, T. Amagai and H. Matsushita (Shizuoka, Japan) 113

Application of chelation ion chromatography to the determination of lanthanides in agriculture
H. Lu, S. Mou, Y. Yan, F. Liu, K. Li, S. Tong (Beijing, China) and J.M. Riviello (Sunnyvale, CA, USA) 119
Spectrophotometric determination of Sb(III) in Sb(III)/Sb(V) binary mixtures using sodium dodecylsulfate/nonylphenoxy polyethoxyethanol mixed micellar media
X. Huang, W. Zhang, S. Han, Y. Yin, G. Xu and X. Wang (Jinan, People's Republic of China). . . 127
Investigation of a flat sheet membrane desolvator for aqueous solvent removal with inductively coupled plasma atomic emission spectrometry
O.T. Akinbo and J.W. Carnahan (DeKalb, IL, USA) 137
Simultaneous determination of copper and iron by second derivative spectrophotometry using mixtures of ligands
M.I. Toral, P. Richter and C. Rodríguez (Santiago, Chile) 147
Continuous flow analysis of lead (II) and mercury (II) with substituted diazacrown ionophore membrane electrodes
X. Yang, D.B. Hibbert (Sydney, NSW, Australia) and P.W. Alexander (Launceston, Tasmania, Australia) 155
Study of the formation of dye-induced premicellar aggregates and its application to the determination of quaternary ammonium surfactants
I. Casero, D. Sicilia, S. Rubio and D. Pérez-Bendito (Córdoba, Spain) 167
Study of the interferences in the determination of Pu, Am and Cm in radioactive waste by extraction chromatography
M. Rodríguez, J.L. Gascón and J.A. Suárez (Madrid, Spain). 181
Solvent effects on the dissociation reactions of tartaric, maleic and phthalic acids; comparative study and analysis of thermodynamic functions
A.A. Zaghloul, G.A. El-Naggar, S.A. El-Shazly and M.F. Amira (Alexandria, Egypt) 189
Sensitive detection and semiquantitative determination of mercury(II) and lead(II) in aqueous media using polyurethane foam immobilized 1,5-di-(2-fluorophenyl)-3-mercaptoformazan
A.M. Kiwan, M.S. El-Shahawi, S.M. Aldhaheri (Al-Ain, United Arab Emirates) and M.H. Saleh (Abu Dhabi, United Arab Emirates). 203
Physical fractionation of trace and rare earth elements in the sediments of Lake Nasser
S.M.N. Moalla (Aswan, Egypt) 213

Book reviews 223
Announcements 227

No. 2 **19 December 1997**

Limits of detection for an AOTF-FFP spectrometer in ICP atomic emission spectroscopy
D.P. Baldwin and D.S. Zamzow (Ames, IA, USA). 229
Principles and analytical applications of acousto-optic tunable filters, an overview
C.D. Tran (Milwaukee, WI, USA) 237
Ion-selective electrode for bismuth(III) in ethylenediamintetraacetate medium
M.F. de Souza Teixeira, A.Z. Pinto and O. Fatibello-Filho (São Carlos-SP, Brazil). 249
The extraction of uranium by amidoximated orlon
S. Katragadda, H.D. Gesser and A. Chow (Winnipeg, Canada) 257
Flow injection spectrophotometric determination of nitrate in electrolyte of lead–acid batteries
F.R.P. Rocha and J.A. Nóbrega (São Carlos SP, Brazil) 265
Adsorptive potentiometric stripping analysis of trace tamoxifen at a glassy carbon electrode
J. Wang, X. Cai, J.R. Fernandes, M. Ozsoz and D.H. Grant (Las Cruces, New Mexico, USA). . . . 273
A compact collinear AOTF Raman spectrometer
N. Gupta and N.F. Fell, Jr (Adelphi, MD, USA) 279

Fluorescence studies of carbocyanines using AOTF
A. George and G. Patonay (Atlanta, GA, USA) 285
Potentiometric pH sensors based on chemically modified electrodes with electropolymerized metal-tetra-aminophthalocyanine
T.-F. Kang, Z.-Y. Xie, H. Tang, G.-L. Shen and R.-Q. Yu (Hunan, People's Republic of China) . . 291
A simultaneous packed column supercritical fluid chromatographic method for ibuprofen, chlorzoxazone and acetaminophen in bulk and dosage forms
V.R. Bari, U.J. Dhorda (Jogeshwari (East), Mumbai, India) and M. Sundaresan (Vile Parle (West), Mumbai, India) 297
Enhancement of fluorescence of terbium/trimesic acid/cyclodextrin system by zirconate and its application to the determination of terbium
G. Zhao, S. Zhao, J. Gao, J. Kang and W. Yang (Lanzhou, People's Republic of China). 303
Silica gel-immobilized Eriochrome black-T as a potential solid phase extractor for zinc (II) and magnesium (II) from calcium (II)
M.E. Mahmoud (Alexandria, Egypt) 309
Preconcentration of heavy metals ions from aqueous solutions by means of cellulose phosphate: an application in water analysis
P. de Magalhães Padilha (Botucatu-SP, Brazil), J. Cesar Rocha, J. Celso Moreira, J. Theodoro de Sousa Campos and C. do Carmo Federici (Araraquara-SP, Brazil) 317
Direct determination of Fe and Zn in different components of cow milk by FAAS with a high performance nebulizer
P. Bermejo, R. Dominguez and A. Bermejo (Santiago de Compostela, Spain) 325
Derivative spectrophotometric determination of copper(II) in non-ionic micellar medium
N. Kumar Agnihotri, V. Kumar Singh and H. Bhajan Singh (Delhi, India) 331
A sensitive determination of paraquat by spectrophotometry
M.K. Rai (Distt. Rajnandgaon, M.P., India), J. Vanisha Das and V.K. Gupta (Raipur, M.P., India) 343
Separation and simultaneous determination of cobalt, nickel and copper with 2-(4-methyl-2-quinolylazo)-5-diethylaminophenol by reversed-phase high-performance liquid chromatography
H. Niwa, T. Yasui, T. Ishizuki, A. Yuchi, H. Yamada and H. Wada (Nagoya, Japan). 349
In situ investigation of the ionisation of silica in aqueous ammonia by using a high frequency dielectric method
C. Despas, A. Walcarius and J. Bessière (Villers-les-Nancy, France) 357
Robotic sample pretreatment–immunoassay determination of chlorpyrifos metabolite (TCP) in soil and fruit
A. Velasco-Arjona (Córdoba, Spain), J.J. Manclús, A. Montoya (Valencia, Spain) and M.D. Luque de Castro (Valencia, Spain) 371
Multivariate characterization of wine vinegars from the south of Spain according to their metallic content
M.I. Guerrero, C. Herce-Pagliai, A.M. Cameán, A.M. Troncoso and A.G. González (Sevilla, Spain) 379
Dicyclohexano 18 crown 6 in butanol–octanol mixture: A promising extractant of Sr(II) from nitric acid medium
A. Kumar, P.K. Mohapatra, P.N. Pathak and V.K. Manchanda (Mumbai, India) 387
Application of chelate forming resin Amberlite XAD-2–*o*-vanillinthiosemicarbazone to the separation and preconcentration of copper(II), zinc(II) and lead(II)
V.K. Jain, S.S. Sait, P. Shrivastav and Y.K. Agrawal (Ahmedabad, India) 397
Reversed flow injection spectrophotometric determination of trace amount of ammonia in natural water by oxidation of ammonia to nitrite
R. Liu, H. Wang, A. Sun and D. Liu (Shandong, People's Republic of China) 405
Derivative spectrophotometric determination of iridium after preconcentration of its 1-(2-pyridy-lazo)-2-naphthol complex on microcrystalline naphthalene
M.A. Taher (Kerman, Iran), S. Puri (New Delhi, India), R.K. Bansal (New Delhi, India) and B.K. Puri (New Delhi, India) 411
Study of the electro-adsorptive behaviour of the herbicide nitralin by means of voltammetric techniques
A. Arranz, S. Fdez de Betoño, J.M. Moreda and J.F. Arranz (Vitoria, Spain). 417

Copper(II) complexes of *N*-(phosphonomethyl)glycine in aqueous solution: a thermodynamic and spectrophotometric study
P.G. Daniele (Torino, Italy), C. De Stefano (Messina (Vill. S. Agata), Italy), E. Prenesti (Torino, Italy) and S. Sammartano (Messina (Vill. S. Agata), Italy) 425
Adsorptive stripping voltammetric determination of chromium in gallium
M.M. Palrecha and P.K. Mathur (Mumbai, India) 433
Studies on complexation and solvent extraction of lanthanides in the presence of diaza-18-crown-6-di-iso propionic
J.S. Kim, C.H. Lee, S.H. Han and M.Y. Suh (Taejon, South Korea) 437
Determination of passive-sampled sulphur dioxide in ambient air as sulphate ion by flow injection analysis with an in-line reaction column
Y. Yang, X.-X. Zhang, T. Korenaga (Tokushima, Japan) and K. Higuchi (Tokyo, Japan). 445
Redox method for the determination of stability constants of some trivalent metal complexes
R. Delgado (Oeiras, Lisboa codex, Portugal), M.C. Figueira and S. Quintino (Oeiras, Portugal) . . . 451
Determination of equilibrium constants of strong acidic ion exchange resins by potentiometric titrations
G. Borge and J.M. Madariaga (Bilbao, Spain) 463

Announcements 473

No. 3 **January 1998**

Special Issue: *Papers presented at the Eighth International Conference on Flow Injection Analysis (ICFIA '97), held in Orlando, Florida, USA, January 12–16, 1997*

Editorial. vii

On-line coupling of gas diffusion to capillary electrophoresis
P. Kuban and B. Karlberg (Stockholm, Sweden) 477
Incorporation of electrodialysers into the conduits of FIA systems: enhancement of the mass transfer of chloride anions through passive neutral membranes
J.F. van Staden and C.J. Hattingh (Pretoria, South Africa) 485
ByT-FAS (Bypass trapped-flow analysis system)
K.K. Stewart and S.W. Hillard (Blacksburg, VA, USA) 493
A bypass trapped-flow analysis system evaluation of enzyme kinetic parameters with a coupled enzyme assay and fluorescence detection
S.W. Hillard and K.K. Stewart (Blacksburg, VA, USA) 507
Bypass trapped flow analysis system (ByT-FAS) used in application: quantitative chemiluminescent detection of whole intact *E. coli* cell genetic transcription levels via induction of luciferase with tetracycline
S.W. Hillard and K.K. Stewart (Blacksburg, Virginia, USA) 513
Decisive problems of zone-circulating flow injection analysis and its solution
Y. Narusawa and Y. Miyamae (Tokyo, Japan) 519
On-line cryogenic trapping with microwave heating for the determination and speciation of arsenic by flow injection/hydride generation/atomic absorption spectrometry
J.L. Burguera, M. Burguera, C. Rivas and P. Carrero (Mérida, Venezuela). 531
New phase separator for extraction-spectrophotometric determination of anionic surfactants with Malachite Green by flow injection analysis
T. Sakai, H. Harada, X. Liu, N. Ura (Toyota, Japan), K. Takeyoshi and K. Sugimoto (Nagoya, Japan) 543
Catalytic determination of silver(I) by extractive flow injection analysis
H. Itabashi, M. Takahata, H. Kawamoto and H. Akaiwa (Gunma, Japan) 549
Development of an amperometric biosensor based on acetylcholine esterase covalently bound to a new support material
M. Khayyami, M.T.P. Pita, N.P. Garcia, G. Johansson, B. Danielsson and P.-O. Larsson (Lund, Sweden). 557
Potentiometric flow injection determination of amylase activity by using hexacyanoferrate(III)-hexacyanoferrate(II) potential buffer
H. Ohura, T. Imato (Fukuoka, Japan), Y. Asano (Tokyo, Japan) and S. Yamasaki (Fukuoka, Japan) 565
Flow injection analysis for residual chlorine using Pb(II) ion-selective electrode detector
A. Sakai, A. Hemmi, H. Hachiya, F. Kobayashi, S. Ito, Y. Asano (Musashino, Japan), T. Imato (Fukuoka, Japan), Y. Fushinuki (Kagoshima, Japan) and I. Taniguchi (Kumamoto, Japan). 575

Continuous flow system for the determination of trace vanadium in natural waters utilizing in-line preconcentration/separation coupled with catalytic photometric detection
T. Yamane, Y. Osada and M. Suzuki (Kofu, Japan) 583
The flow analysis database on the World Wide Web
S.J. Chalk (Jacksonville, FL, USA) 591

Announcement 601

No. 4 **February 1998**

Special Issue. Papers presented at the First Asia-Pacific International Symposium on Capillary Electrophoresis, and other Nano- and Microscale Analytical Techniques, held in Singapore, December 17–20, 1996

Preface vii

Membrane preconcentration-capillary electrophoresis tandem mass spectrometry (mPC–CE–MS/MS) in the sequence analysis of biologically derived peptides
S. Naylor and A.J. Tomlinson (Rochester, MN, USA) 603
Fluorescence detection in short capillary and chip using a variable wavelength epi-fluorescence microscope
Y. Zhang, H.K. Lee and S.F.Y. Li (Singapore, Singapore) 613
Analysis of leachable and total trace metals in air particulate matters by capillary electrophoresis
Y.-S. Fung, K.-M. Lau and H.-S. Tung (Hong Kong, Hong Kong) 619
Quantitative analysis of pesticides by capillary column high performance liquid chromatography combined with solid-phase extraction
W. Liu and H.K. Lee (Singapore, Singapore) 631
Development and validation of analytical methodology using capillary electrophoresis for separation and determination of anions in rainwater
Y.-S. Fung and K.-M. Lau (Hong Kong, Hong Kong) 641
Measurement of nitrate and chlorate in swimming pool water by capillary zone electrophoresis
P. Wang, S.F.Y. Li and H.K. Lee (Singapore, Singapore) 657
Application of capillary electrophoresis to process monitoring in the manufacturing of semisynthetic penicillins
H.B. Wan, J. Liu, K.C. Ang and S.F.Y. Li (Singapore, Singapore) 663
Detection of apolipoprotein E genotypes by capillary electrophoresis
E.S.C. Koay (Singapore, Singapore), M. Zhu, T. Wehr (Hercules, CA, USA), M.L. Choong, M.C. Khaw, S.K. Sethi and T.C. Aw (Singapore, Singapore) 673
Capillary electrophoresis separation of *p*-sulfonated calix[*n*]arenes, $n = 4, 6, 8$
I. Rodriguez, H.K. Lee and S.F.Y. Li (Singapore, Singapore) 683
Purification of metallothionein proteins from the crab, *Portunus pelagicus*—selectivity of hydrophobic interaction chromato-graphy
S.G. Ang and P.S. Chong (Singapore, Singapore) 693
Determination of lead in blood by hydrodynamic voltammetry in a flow injection system with wall-jet detector
S. Jaenicke, R.M. Sabarathinam, B. Fleet and H. Gunasingham (Singapore, Singapore) 703
The degree of deacetylation of chitosan: advocating the first derivative UV-spectrophotometry method of determination
S.C. Tan, E. Khor, T.K. Tan and S.M. Wong (Singapore, Singapore) 713
Effect of the composition of Nafion deposition solutions on the ion-exchange properties of the Nafion films by quartz crystal microbalance sensor (QCM)
G. Zhao, H. Chan and S.F.Y. Li (Singapore, Singapore) 721
Organic vapor detection by quartz crystal microbalance modified with mixed multilayer Langmuir–Blodgett Films
S. Zhang, Z.K. Chen, G.W. Bao and S.F.Y. Li (Singapore, Singapore) 727
Characterization and third-order optical nonlinearities of uniform surface-modified CdS nanoparticles
M.Y. Han, L.M. Gan, W. Huang, C.H. Chew, B.S. Zou, C.H. Quek, G.Q. Xu, W. Ji, X.J. Zhang and S.C. Ng (Singapore, Singapore) 735

Temperature programmed decomposition (TPDE) of [$Mo(CO)_6$] on metal oxide supports: a novel tool to elucidate surface acidity and surface-mediated reactions
W.L. Loh, S. Jaenicke, G.K. Chuah and H.G. Ang (Singapore, Singapore) 739
Characterization of atomic force microscopy (AFM) tip shapes by scanning hydrothermally deposited ZnO thin films
G.W. Bao and S.F.Y. Li (Singapore, Singapore) 751
Synthesis, characterization and sensing application of novel semiconductor oxides
G.-J. Li and S. Kawi (Singapore, Singapore) 759
AFM imaging and characterization of latex particles formed by copolymerization of styrene and poly(ethylene oxide) macromonomer
P.-C. Zhang, J. Liu, C.H. Chew, L.M. Gan and S.F.Y. Li (Singapore, Singapore) 767

Announcements 775

No. 5 **March 1998**

Regular paper
Gas chromatography study of the adsorption of refrigerating fluids on microporous solid adsorbents
A. Adell and J. Petrissans (Montpellier, France) 777
Electrochemical studies of NiTMpyP and interaction with DNA
F. Qu, N.-Q. Li and Y.-Y. Jiang (Beijing, People's Republic of China) 787
Spectrophotometric determination of astemizole
C.S.P. Sastry and P.Y. Naidu (Visakhapatnam, India) 795
Elimination of hydrofluoric acid interference in the determination of antimony by the hydride generation technique
A. D'Ulivo, L. Lampugnani, D. Faraci (Pisa, Italy), D.L. Tsalev (Pisa, Italy; Sofia, Bulgaria) and R. Zamboni (Pisa, Italy) 801
Direct electrothermal atomic absorption spectrometry determination of nickel in sea water using multiple hot injection and Zeeman correction
P. Bermejo-Barrera, J. Moreda-Piñeiro, A. Moreda-Piñeiro and A. Bermejo-Barrera (Santiago de Compostela, Spain) 807
On the role of solvent in acid–base equilibria of diuretics in acetonitrile–water mixed solvents
J. Barbosa, D. Barrón, J.L. Beltrán and S. Butí (Barcelona, Spain) 817
Use of time-resolved lanthanide-sensitized luminescence for the kinetic determination of *p*-aminobenzoic acid
S. Panadero, A. Gómez-Hens and D. Pérez-Bendito (Córdaba, Spain) 829
Flow injection spectrophotometric determination of boron in ceramic materials
S. Sanchez-Ramos, M.J. Medina-Hernández and S. Sagrado (Burjassot (València), Spain) 835
Voltammetric determination of copper in water samples digested by ozone
Ž. Filipović-Kovačević and L. Sipos (Zagreb, Croatia) 843
The electrochemical copolymerization of 3,4-dihydroxybenzoic acid and aniline at microdisk gold electrode and its amperometric determination for ascorbic acid
J.-J. Sun, D.-M. Zhou, H.-Q. Fang and H.-Y. Chen (Nanjing, People's Republic of China) 851
Preconcentration of trace elements on a support impregnated with sodium diethyldithiocarbamate prior to their determination by inductively coupled plasma-atomic emission spectrometry
D. Atanasova, V. Stefanova (Plovdiv, Bulgaria) and E. Russeva (Sofia, Bulgaria) 857
Electrochemical and thermodynamic studies of the ion-pair formation of chloropentamminecobalt(III) ion in ethyl alcoholwater media containing different dicarboxylate ligands
A.A. Zaghloul, G.A. El-Naggar and S.B. Abuo Ali (Alexandria, Egypt) 865
Sulphuric acid influence on liquid–liquid extraction of Co(II) and Zn(II) by MIBK from NH_4SCN medium
M. Avila Rodríguez, J.A. Barrón Zambrano, A. Alatorre Ordaz, R. Navarro Mendoza and T.I. Saucedo Medina (Guanajuato, Mexico) 875
Accelerated dynamic leaching of iron from soil with on-line derivatization and integrated concentration–detection
M.M. Jiménez-Carmona, M.P. da Silva and M.D. Luque de Castro (Córdoba, Spain) 883
PEG-modified glucose oxidase immobilized on a PVA cryogel membrane for amperometric biosensor applications
L. Doretti, D. Ferrara, P. Gattolin (Padova, Italy), S. Lora (Legnaro (Padova), Italy), F. Schiavon and F.M. Veronese (Padova, Italy) 891

Simultaneous fluorometric determination of nalidixic acid and 7-hydroxymethylnalidixic acid by partial least squares calibration
I. Durán Merás, A. Muñoz de la Peña, M.I. Rodriguez Cáceres and F. Salinas López (Badajoz, Spain) . . . 899
Extraction of lead(II) with cyanex 302 and its spectrophotometric determination with PAR
A.P. Argekar and A.K. Shetty (Bombay, India) . . . 909
Highly sensitive detection of L-glutamate by on-line amperometric micro-flow analysis based on enzymatic substrate recycling
T. Yao, S. Suzuki, T. Nakahara (Osaka, Japan) and H. Nishino (Kyoto, Japan) . . . 917
An extraction study of gallium, indium and thallium using TPASO as an extractant
S.V. Vartak and V.M. Shinde (Mumbai, India) . . . 925
The ionic product of water in highly concentrated sodium perchlorate solutions
M.L. Turonek, G.T. Hefter and P.M. May (Murdoch, WA, Australia) . . . 931
Highly precise Re–Os dating for molybdenite using alkaline fusion and NTIMS
R. Markey (Fort Collins, CO, USA), H. Stein (Fort Collins, CO, Reston, VA, USA) and J. Morgan (Fort Collins, CO, USA) . . . 935
Studies on the absorption spectra of aqueous L-tyrosine and its dissociation equilibria
J.-Z. Yang and Z.-F. Zhang (Shenyang, People's Republic of China) . . . 947
Benzoquinone modified electrode for sensing NADH and ascorbic acid
A.S.N. Murthy and J. Sharma (New Delhi, India) . . . 951
Rapid and selective method for the spectrophotometric determination of nickel naphthenate in gasoline in a microemulsion
Q. Wei and B. Du (Jinan, People's Republic of China) . . . 957
Transport of Cu(II) with hydroxamic acid through a liquid membrane
K. Kubo, J. Kubo, C. Kaminaga and T. Sakurai (Yokohama, Japan) . . . 963
Simultaneous determination of propranolol and pindolol by synchronous spectrofluorimetry
T. Pérez Ruiz, C. Martínez-Lozano, V. Tomás and J. Carpena (Murcia, Spain) . . . 969
Membrane filtration studies of aquatic humic substances and their metal species: a concise overview: Part 1. Analytical fractionation by means of sequential-stage ultrafiltration
P. Burba, B. Aster (Dortmund, Germany), T. Nifant'eva, V. Shkinev and B.Y. Spivakov (Moscow, Russia) 977
Influence of mixture design on multivariate prediction of PAHs in mixture spectra
D.A. Cirovic (Bristol, UK) . . . 989
A rapid method for the clean-up of chlorinated biphenyls (CBs) isolated from environmental samples
A. Thompson, P. McMorn and G.A. Wolff (Liverpool, UK) . . . 1001
Potentiometric study of the protonation and distribution equilibria of D-gluconic-δ-lactone acid in sodium perchlorate solutions at 25°C and construction of a thermodynamic model
J. Zubiaur, R. Castaño, N. Etxebarria, L.A. Fernández and J.M. Madariaga (Bilbao, Spain) . . . 1007
Enzymatic methods for the determination of α-glycerophosphate and α-glycerophosphate oxidase with an automated FIA system
E.R. Kiranas, M.I. Karayannis and S.M. Tzouwara-Karayanni (Ioannina, Greece) . . . 1015

Short communication
Microwave assisted reduction of Se^{VI} to Se^{IV} and determination by HG/FI-ICP/MS for inorganic selenium speciation
R. Muñoz Olivas and O.F.X. Donard (Pau, France) . . . 1023

Letter to the editor
About the voltammetric determination of the stability constants for some metal ions complexes with the hydrogen sulfide anion
F.G. Bănică and A. Ion (Trondheim, Norway) . . . 1031

Book reviews . . . 1035

No. 6 **April 1998**

Studies about the adsorption on lichen *Evernia prunastri* by enthalpimetric measurements
M.L. Antonelli, P. Ercole and L. Campanella (Rome, Italy) . . . 1039
Scattering dilution method in Fourier transform infrared spectrometry
M. Kaihara (Iwate, Japan) and Y. Gohshi (Tokyo, Japan) . . . 1049

Mechanistic study and kinetic determination of vitamin C employing the sequential injection technique
S.M. Sultan and N.I. Desai (Dhahran, Saudi Arabia) 1061
Multivariate calibration applied to synchronous fluorescence spectrometry. Simultaneous determination of polycyclic aromatic hydrocarbons in water samples
R. Ferrer, J.L. Beltrán and J. Guiteras (Barcelona, E, Spain) 1073
Solid-Phase microextraction with Whatman 1PS paper and direct room-temperature solid-matrix luminescence analysis
J. Chen and R.J. Hurtubise (Laramie, WY, USA) 1081
Chelating resin containing s-bonded dithizone for the separation of copper(II), nickel(II) and zinc(II)
R. Shah and S. Devi (Baroda, India) 1089
A sensitive spectrophotometric method for the determination of dithiocarbamate fungicide and its application in environmental samples
R. Kesari and V.K. Gupta (Raipur, India) 1097
Determination of absorptivity and formation constant of a chalcone association complex
S.E. Blanco and F.H. Ferretti (San Luis, Argentina) 1103
A new spray reagent for the detection of synthetic pyrethroids containing a nitrile group on thin-layer plates
S. Gupta, S.K. Handa and K.K. Sharma (New Delhi, India) 1111
Indirect determination of cyclamate by an on-line continuous precipitation-dissolution flow system
M.C. Yebra and P. Bermejo (Santiago de Compostela, Spain) 1115
Catalytic kinetic simultaneous determination of iron, silver and manganese with the Kalman filter by using flow injection analysis stopped-flow spectrophotometry
Y.-Z. Ye, H.-Y. Mao and Y.-H. Chen (Zhengzhou, People's Republic of China) 1123
Chemiluminescent determination of pyridoxine hydrochloride in pharmaceutical samples using flow injection
A.A. Alwarthan and F. A. Aly (Riyadh, Saudi Arabia) 1131
Biomass-modified carbon paste electrodes for monitoring dissolved metal ions
H. Yao and G.J. Ramelow (Lake Charles, LA, USA) 1139
Determination of aluminium and manganese in human scalp hair by electrothermal atomic absorption spectrometry using slurry sampling
P. Bermejo-Barrera, A. Moreda-Piñeiro, J. Moreda-Piñeiro and A. Bermejo-Barrera (Santiago de Compostela, Spain) 1147
Fluorescence quenching of anthropogenic fulvic acids by Cu(II), Fe(III) and UO_2^{2+}
J.C.G. Esteves da Silva, A.A.S.C. Machado, C.J.S. Oliveira and M.S.S.D.S. Pinto (Porto, Portugal) . 1155
Determination of arsenic(III) and arsenic(V) by electrothermal atomic absorption spectrometry after complexation and sorption on a C-18 bonded silica column
D. Pozebon, V.L. Dressler, J.A. Gomes Neto and A.J. Curtius (Florianópolis, Brazil) 1167
Potentiometric study of Cu(II) and Ni(II) complexation with two high molecular weight poly(acrylic acids)
C. Morlay, M. Cromer, Y. Mouginot and O. Vittori (Villeurbanne, France) 1177
Bonded stationary phases for reversed phase liquid chromatography with a water mobile phase: application to subcritical water extraction
T.E. Young, S.T. Ecker, R.E. Synovec (Seattle, WA, USA), N.T. Hawley, J.P. Lomber and C.M. Wai (Moscow, ID,
USA) 1189
Use of zirconium oxychloride to neutralize HF in the microwave-assisted acid dissolution of ceramic glazes for their chemical analysis by ICP-OES
M. Dondi, B. Fabbri and C. Mingazzini (Faenza (RA), Italy) 1201
Silicon determination by inductively coupled plasma atomic emission spectrometry after generation of volatile silicon tetrafluoride
A. Lopez Molinero, L. Martinez, A. Villareal and J.R. Castillo (Zaragoza, Spain) 1211
Potentiometric study of the mixed-metal complex formation of tetracarboxylate-18-crown-6 with aluminum and alkali and alkaline earth cations
N. Tavakkoli (Shiraz, Iran) and M. Shamsipur (Kermanshah, Iran) 1219
New spectrophotometric method for the determination of some drugs with iodine and wool fast blue BL
C.S.P. Sastry, S.G. Rao, P. Y. Naidu and K.R. Srinivas (Visakhapatnam, India) 1227
The separation of platinum and palladium by selective extraction of $H_2Pt(SCN)_6$ and $H_2Pd(SCN)_4$ using a polyTHF-impregnated filter
R.D. Oleschuk and A. Chow (Manitoba, Canada) 1235

A sensitive flow-injection method for determination of trace amounts of nitrite
M.F. Mousavi (Tehran, Iran), A. Jabbari (Kermanshah, Iran) and S. Nouroozi (Tehran, Iran) 1247
The application of flow programming with pulsed amperometric detection for liquid chromatography
R.L. Earley, J.S. Miller and L.E. Welch (Galesburg, IL, USA) 1255
A software for the estimation of binding parameters of biochemical equilibria based on statistical probability model
E. Fisicaro, A. Braibanti, R. Sambasiva Rao, C. Compari, A. Ghiozzi (Parma, Italy) and G. Nageswara Rao (Visakhapatnam, India) 1267

Short communication
Determination of sulphur and total sulphur dioxide in wines by an ICP-AES method
I. Sarudi and J. Kelemen (Kaposvár, Hungary) 1281

Book reviews 1285
Erratum 1287
Announcements 1289
Volume Contents 1293
Author index 1303
Subject index 1307